



Modelo FC-700E-3X-B0-N




Características adicionales

- Valve Position Indicator

Operación



Esquema del sistema



Componentes	
1	Válvula maestra
4	Válvula de retención (cheque), tipo Lift

Instalación del sistema

Elementos opcionales del sistema




Pressure Gauge



Pressure Switch

System Components

- 1 - BERMAD Deluge valve
- 2 - BERMAD FC 700E-3X-B0 Foam Concentrate Valve
- 3 - Remote Controlled Monitor or Deluge system
- 4 - Control Panel



Especificaciones sugeridas

Las imágenes de este catálogo se incluyen solo a título de ilustración

Datos técnicos

Tamaños disponibles:

Embridada- 1½, 2, 2½, 3 & 4"

Rosca- 1½, 2, 2½ & 3"


Presión nominal:

ANSI #150 - 17.2 bar | 250 psi

ANSI #300: de 1½" a 10" - 28 bar | 400 psi

Elastómero:

Nitrile Butadiene Rubber (NBR)



Tamaño de Válvula	L #150 mm in	L ranurado mm in	L #300 mm in	A mm in	B mm in	C mm in	ØD in	E mm in	F mm in	G mm in	Peso #150 kg lb	Peso #300 kg lb
DN40 1½"	205 8.1	-	-	312 12.3	191 7.5	82 3.2	-	-	121 4.8	-	-	-
DN50 2"	205 8.1	-	-	312 12.3	191 7.5	82 3.3	-	-	121 4.8	-	-	-
DN65 2½"	209 8.3	-	-	312 12.3	191 7.5	102 4	-	-	140 5.5	-	-	-
DN80 3"	250 9.8	-	-	364 14.3	207 8.1	102 4	-	-	152 6	-	-	-
DN100 4"	320 12.6	-	-	405 16	242 9.5	127 5	-	-	200 7.9	-	-	-

Valve Code Designations

FP	4"	700E-3X-BO	V	C	A5	ER	4DC	NN	N6nW																																																																																																																									
<table><tr><th>Category</th><th>Code</th></tr><tr><td>Standard</td><td>FP</td></tr><tr><td>Seawater</td><td>FS</td></tr><tr><td>Foam</td><td>FC</td></tr></table>	Category	Code	Standard	FP	Seawater	FS	Foam	FC	<table><tr><th>Valve Size</th><th></th></tr><tr><td>1½"</td><td>40 mm</td></tr><tr><td>2"</td><td>50 mm</td></tr><tr><td>2½"</td><td>60 mm</td></tr><tr><td>3"</td><td>80 mm</td></tr><tr><td>4"</td><td>100 mm</td></tr></table>	Valve Size		1½"	40 mm	2"	50 mm	2½"	60 mm	3"	80 mm	4"	100 mm	<table><tr><th>Installation</th><th>Code</th></tr><tr><td>Vertical</td><td>V</td></tr><tr><td>Horizontal</td><td>H</td></tr></table>	Installation	Code	Vertical	V	Horizontal	H	<table><tr><th>Coating</th><th>Code</th></tr><tr><td>High Build Epoxy</td><td>ER</td></tr><tr><td>Zinc Based High Build Epoxy ⁽⁵⁾</td><td>ZR</td></tr><tr><td>Uncoated</td><td>UC</td></tr></table>	Coating	Code	High Build Epoxy	ER	Zinc Based High Build Epoxy ⁽⁵⁾	ZR	Uncoated	UC	<table><tr><th>Voltage - Main Valve N.O or N.C *</th><th>Code</th></tr><tr><td>24VDC - N.C.</td><td>4DC</td></tr><tr><td>24VDC - N.O.</td><td>4DO</td></tr><tr><td>110VDC - N.C.</td><td>5DC</td></tr><tr><td>110VDC - N.O.</td><td>5DO</td></tr><tr><td>110 - 120/AC - N.C.</td><td>5AC</td></tr><tr><td>110 - 120/AC - N.C.</td><td>5AO</td></tr><tr><td>220 - 240/AC - N.C.</td><td>2AC</td></tr><tr><td>221 - 240/AC - N.C.</td><td>2AO</td></tr></table>	Voltage - Main Valve N.O or N.C *	Code	24VDC - N.C.	4DC	24VDC - N.O.	4DO	110VDC - N.C.	5DC	110VDC - N.O.	5DO	110 - 120/AC - N.C.	5AC	110 - 120/AC - N.C.	5AO	220 - 240/AC - N.C.	2AC	221 - 240/AC - N.C.	2AO	<table><tr><th>Factory Supplied Additional Items</th><th>Code</th></tr><tr><td>General Purpose NEMA-4 Pressure Switch</td><td>P</td></tr><tr><td>Ex Proof NEC, Div.1 Pressure Switch ⁽³⁾</td><td>P7</td></tr><tr><td>Ex d ATEX Pressure Switch ⁽³⁾</td><td>P9</td></tr><tr><td>Ex d Pressure Switch, SS316 Enclosure ⁽³⁾</td><td>P9Jn</td></tr><tr><td>Ex d Pressure Switch, SS316 Enclosure, Monel Sensor ⁽³⁾</td><td>P9mJn</td></tr><tr><td>Single Limit Switch, General Purpose</td><td>S</td></tr><tr><td>Single Ex d Proximity limit Switch</td><td>S9</td></tr><tr><td>Double Ex d Proximity Limit Switch</td><td>SS9</td></tr><tr><td>Double Ex d Proximity Limit Switch with SS316 Junction Box</td><td>SS9Jn</td></tr><tr><td>Pressure Gauge Assembly ⁽³⁾</td><td>6</td></tr><tr><td>S.S Glycerin Pressure Gauge Assembly ⁽³⁾</td><td>6n</td></tr><tr><td>Monel Pressure Gauge Assembly ⁽³⁾</td><td>6m</td></tr><tr><td>Ex Proof NEC Class 1 Div 1 Solenoid</td><td>7</td></tr><tr><td>Ex. d Atex Solenoid</td><td>9</td></tr><tr><td>Stainless steel 316 Solenoid Valve</td><td>K</td></tr><tr><td>Special Elastomer</td><td>E</td></tr><tr><td>Large Control Filter</td><td>F</td></tr><tr><td>Valve Position Indicator</td><td>I</td></tr><tr><td>Pressure Transmitter ⁽³⁾</td><td>Q</td></tr></table>	Factory Supplied Additional Items	Code	General Purpose NEMA-4 Pressure Switch	P	Ex Proof NEC, Div.1 Pressure Switch ⁽³⁾	P7	Ex d ATEX Pressure Switch ⁽³⁾	P9	Ex d Pressure Switch, SS316 Enclosure ⁽³⁾	P9Jn	Ex d Pressure Switch, SS316 Enclosure, Monel Sensor ⁽³⁾	P9mJn	Single Limit Switch, General Purpose	S	Single Ex d Proximity limit Switch	S9	Double Ex d Proximity Limit Switch	SS9	Double Ex d Proximity Limit Switch with SS316 Junction Box	SS9Jn	Pressure Gauge Assembly ⁽³⁾	6	S.S Glycerin Pressure Gauge Assembly ⁽³⁾	6n	Monel Pressure Gauge Assembly ⁽³⁾	6m	Ex Proof NEC Class 1 Div 1 Solenoid	7	Ex. d Atex Solenoid	9	Stainless steel 316 Solenoid Valve	K	Special Elastomer	E	Large Control Filter	F	Valve Position Indicator	I	Pressure Transmitter ⁽³⁾	Q	<table><tr><th>Material Body & Cover ⁽¹⁾</th><th>Code</th></tr><tr><td>Ductile Iron A356 ⁽²⁾</td><td>C</td></tr><tr><td>Steel ASTM A216 WCB ⁽²⁾</td><td>S</td></tr><tr><td>Stainless Steel 316</td><td>N</td></tr><tr><td>Nickel Al Bronze C95800</td><td>U</td></tr><tr><td>Super Duplex Grade 5A</td><td>D</td></tr></table>	Material Body & Cover ⁽¹⁾	Code	Ductile Iron A356 ⁽²⁾	C	Steel ASTM A216 WCB ⁽²⁾	S	Stainless Steel 316	N	Nickel Al Bronze C95800	U	Super Duplex Grade 5A	D	<table><tr><th>End Connections</th><th>Code</th></tr><tr><td>ANSI#150RF</td><td>A5</td></tr><tr><td>ANSI#150FF</td><td>a5</td></tr><tr><td>ISO PN16</td><td>16</td></tr><tr><td>Grooved ANSI</td><td>VI</td></tr></table>	End Connections	Code	ANSI#150RF	A5	ANSI#150FF	a5	ISO PN16	16	Grooved ANSI	VI	<table><tr><th>Tubing & Fittings</th><th>Code</th></tr><tr><td>Stainless Steel 316</td><td>NN</td></tr><tr><td>Monel 400</td><td>MM</td></tr><tr><td>Super Duplex</td><td>DD</td></tr></table>	Tubing & Fittings	Code	Stainless Steel 316	NN	Monel 400	MM	Super Duplex	DD
Category	Code																																																																																																																																	
Standard	FP																																																																																																																																	
Seawater	FS																																																																																																																																	
Foam	FC																																																																																																																																	
Valve Size																																																																																																																																		
1½"	40 mm																																																																																																																																	
2"	50 mm																																																																																																																																	
2½"	60 mm																																																																																																																																	
3"	80 mm																																																																																																																																	
4"	100 mm																																																																																																																																	
Installation	Code																																																																																																																																	
Vertical	V																																																																																																																																	
Horizontal	H																																																																																																																																	
Coating	Code																																																																																																																																	
High Build Epoxy	ER																																																																																																																																	
Zinc Based High Build Epoxy ⁽⁵⁾	ZR																																																																																																																																	
Uncoated	UC																																																																																																																																	
Voltage - Main Valve N.O or N.C *	Code																																																																																																																																	
24VDC - N.C.	4DC																																																																																																																																	
24VDC - N.O.	4DO																																																																																																																																	
110VDC - N.C.	5DC																																																																																																																																	
110VDC - N.O.	5DO																																																																																																																																	
110 - 120/AC - N.C.	5AC																																																																																																																																	
110 - 120/AC - N.C.	5AO																																																																																																																																	
220 - 240/AC - N.C.	2AC																																																																																																																																	
221 - 240/AC - N.C.	2AO																																																																																																																																	
Factory Supplied Additional Items	Code																																																																																																																																	
General Purpose NEMA-4 Pressure Switch	P																																																																																																																																	
Ex Proof NEC, Div.1 Pressure Switch ⁽³⁾	P7																																																																																																																																	
Ex d ATEX Pressure Switch ⁽³⁾	P9																																																																																																																																	
Ex d Pressure Switch, SS316 Enclosure ⁽³⁾	P9Jn																																																																																																																																	
Ex d Pressure Switch, SS316 Enclosure, Monel Sensor ⁽³⁾	P9mJn																																																																																																																																	
Single Limit Switch, General Purpose	S																																																																																																																																	
Single Ex d Proximity limit Switch	S9																																																																																																																																	
Double Ex d Proximity Limit Switch	SS9																																																																																																																																	
Double Ex d Proximity Limit Switch with SS316 Junction Box	SS9Jn																																																																																																																																	
Pressure Gauge Assembly ⁽³⁾	6																																																																																																																																	
S.S Glycerin Pressure Gauge Assembly ⁽³⁾	6n																																																																																																																																	
Monel Pressure Gauge Assembly ⁽³⁾	6m																																																																																																																																	
Ex Proof NEC Class 1 Div 1 Solenoid	7																																																																																																																																	
Ex. d Atex Solenoid	9																																																																																																																																	
Stainless steel 316 Solenoid Valve	K																																																																																																																																	
Special Elastomer	E																																																																																																																																	
Large Control Filter	F																																																																																																																																	
Valve Position Indicator	I																																																																																																																																	
Pressure Transmitter ⁽³⁾	Q																																																																																																																																	
Material Body & Cover ⁽¹⁾	Code																																																																																																																																	
Ductile Iron A356 ⁽²⁾	C																																																																																																																																	
Steel ASTM A216 WCB ⁽²⁾	S																																																																																																																																	
Stainless Steel 316	N																																																																																																																																	
Nickel Al Bronze C95800	U																																																																																																																																	
Super Duplex Grade 5A	D																																																																																																																																	
End Connections	Code																																																																																																																																	
ANSI#150RF	A5																																																																																																																																	
ANSI#150FF	a5																																																																																																																																	
ISO PN16	16																																																																																																																																	
Grooved ANSI	VI																																																																																																																																	
Tubing & Fittings	Code																																																																																																																																	
Stainless Steel 316	NN																																																																																																																																	
Monel 400	MM																																																																																																																																	
Super Duplex	DD																																																																																																																																	

Notes:

(1) Other materials available see engineering data

(2) Coated internally and externally

(3) Supplied loose

(4) Consult BERMAD for availability

(5) For valves up to and including 10"

Notes:
(1) Other materials available see engineering data
(2) Coated internally and externally
(3) Supplied loose
(4) Consult BERMAD for availability
(5) For valves up to and including 10"

*More options available – consult BERMAD