




## Reinforced Polypropylene Fittings

### Technical Specifications:

**Pressure rating:** 10BAR; 150PSI | **Temperature range:** Water up to 50°C ; 122°F | **Materials:** Polypropylene + 20%GF | **tube:** 8mm


### Union Connector

Cat.No.	Code	Od (mm)	L (mm)	SW (mm)
365600PG00	FT88	8	33	14




### Straight Connector

Cat.No.	Code	Od (mm)	M (NPT)	L (mm)	SW (mm)
360402PG00	FT18	8	1/8"	33	14
360402PG00	FT78	8	1/4"	37.5	13.6




### Elbow Connector

Cat.No.	Code	Od (mm)	M (NPT)	L (mm)	L1 (mm)
360801PG00	FT28	8	1/8"	31.9	30
360401PG00	FT58	8	1/4"	34	36.5




### Union T


Cat.No.	Code	Od (mm)	L (mm)	L1 (mm)
36080TPG00	FT98	8	52	32.5



### Male Branch T

Cat.No.	Code	Od (mm)	M (NPT)	L (mm)	L1 (mm)
360804PG00	FT98/1	8	1/8"	52	32.5







## Reinforced Polypropylene Fittings


### Male RUN T

Cat.No.	Code	Od (mm)	M (NPT)	L (mm)	L1 (mm)
360803PG00	FT98/2	8	1/8"	52	32.5




### Coupler for tube

Cat.No.	Code	Od (mm)	L (mm)	L1 (mm)
360802PG02	FT08	8	14.8	20




### Male Plug

Cat.No.	Code	M (NPT)	L (mm)	SW (mm)
3608070000	FT38	1/8"	19	14
36040P0000-T	FT34	1/4"	21.5	14
3638070200	FT32	3/8"	20	18.8
3602070000	FT30	1/2"BSPT	20	22




### Bushing Male-Female

Cat.No.	Code	M (NPT)	M1 (NPT)	L (mm)	SW (mm)
3608PA8A05	FT11	1/8"	1/8"	26	16
3604PA8A05	FT48	1/8"	1/4"	27	16




### 8X8X8 Shuttle Valve Assy

Cat.No.	Od (mm)	L (mm)	L1 (mm)
1408P30800	8	56.6	34.3



### 8X1/8"X8 Shuttle Valve Assy

Cat.No.	Od (mm)	M (NPT)	L (mm)	L1 (mm)
1408P31800	8	1/8"	56.6	34.3






## Reinforced Polypropylene Fittings


### 8X1/8"X8 "T" 1mm Restriction Orifice Assy (Grey/Red)

Cat.No.	Od (mm)	M (NPT)	L (mm)	L1 (mm)
1408P41800	8	1/8"	56.6	34.3




### 8X8 One-Way Flow Restriction Orifice Assy (Red/Blue)

Cat.No.	Od (mm)	L (mm)	L1 (mm)
1408P12500	8	56.6	18.1




### 8X8 Check Valve Assy. (Grey/Blue)

Cat.No.	Od (mm)	L (mm)	L1 (mm)
1408P22000	8	56.6	18.1



### Upstream Manifold

Cat.No.	Od (mm)	M (NPT)	M1 (NPT)	L (mm)	L1 (mm)
3604030801-T	8	1/8"	1/4"	44	41.4



### Downstream Manifold

Cat.No.	Od (mm)	M (NPT)	M1 (NPT)	L (mm)	L1 (mm)
3604030401-T	8	1/8"	1/4"	56	41.4

