



C50-P Sewage & Wastewater Combination Air Valve - 2-4"; DN50-100








^{*} Drawings are for illustration purposes only



C50-P Sewage & Wastewater Combination Air Valve - 2-4"; DN50-100










Internals

michiolo				
Inlet connection size	60 Elastomers Kit	61 Upper Float Assy.	62 Lower Float Assy.	63 Lower & Upper Float Assy.
2-4" ; DN50-100	8820C30060-KIT	8820090080	8820080081	8820090086
Inlet connection size	64 Neck + Float Assy.	65 Quick Maintance	91 Bolts Kit	
2-4" ; DN50-100	8820090085	8820092085	8820CSP091-KIT	

^{*} Drawings are for illustration purposes only



C50-P Sewage & Wastewater Combination Air Valve - 2-4"; DN50-100



Additional features

Inlet connection size	102	103	104	108	109
	Surge Protection	Inflow Prevention	Assisted Closing	Surge Protection (SP),	Inflow Precention (IP),
	Assy. (SP)	Assy. (IP)	Assy. (AC)	With Downwards Outlet	With Downwards Outlet
2-4" ; DN50-100	8820C80350	8620C80250	8620C80650	8820C80450	8620C80550

Accessories

Inlet connection size							107 Universal Flange Kit 4" x 3" (NPT)
2" ; DN50	8820C80250	8820090383-KIT	8820090483-KIT				
3" ; DN80	8820C80250			8830020384-KIT	8830020484-KIT		
4" ; DN100	8820C80250					8840020384-KIT	8840020484-KIT

^{*} Drawings are for illustration purposes only